


Search  for **Feature Article**

Are you experiencing chronic back pain? Does it wake you up at night? Find out if your back pain is serious.

**Feature Article**

About 90% of people with acute low back problems recover in a month. [Outlook for sufferers](#).

**Feature Article**

Back pain is one of the most common complaints of physicians. Find out more about back pain.

[Health](#) > [Centers](#) > [Back Pain Center](#) > [Treatment for Sufferers](#) > [Neck Surgery](#) > [Corpectomy](#)
Neck Surgery

- [Cervical Spinal Surgery](#)
- [Anterior Cervical Fusion](#)
- **Corpectomy**
- [Foraminotomy](#)

Back Pain**Back Pain Basics**

- [How the Back Works](#)
- [What Causes Back Pain?](#)
- [Is Back Pain Serious?](#)
- [Common Symptoms](#)
- [Images & Anatomy](#)

Back Problems

- [Functional Back Injuries](#)
- [Nonspecific Back Pain](#)
- [Low Back Pain](#)
- [Slipped Disk](#)
- [Compression Fractures](#)
- [Whiplash](#)
- [Scoliosis](#)
- [Spinal Conditions](#)

Diagnostic Tests

- [Lumbosacral Spine X-Ray](#)
- [Lumbosacral Spine CT](#)
- [Lumbosacral Spine MRI](#)
- [Spine MRI](#)

Corpectomy

Provided by Medtronic Sofamor Danek

What is it?

Cervical corpectomy is an operation to remove a portion of the vertebra and adjacent intervertebral discs for decompression of the cervical spinal cord and spinal nerves. A bone graft with or without a metal plate and screws is used to reconstruct the spine and provide stability.

Why is it done?

In some patients, the cervical spinal canal can be narrowed by bone spurs arising from the back of the vertebral body or the ligament behind the vertebral bodies. In this situation it may be necessary to remove one or more vertebral body and the discs above and below to adequately decompress the spinal cord and/or nerve roots because the area of compression cannot be addressed by an anterior cervical discectomy alone.

What happens afterward?

Most patients experience only mild discomfort at the operative site, which is generally well controlled with oral pain medicines. A mild sore throat is not uncommon and is usually short lived. Most patients are discharged from the hospital in 24-48 hours. Patients may notice immediate improvement in some or all of their symptoms, however, some symptoms may improve only gradually. A successful outcome will depend on your compliance with the health care provider's recommendations, and a realistic expectation for meeting the goals of surgery (which depend on one's condition preoperatively).

Since cigarette smoking dramatically impairs bone healing, smoking cessation will significantly improve the likelihood for a successful fusion.

The Operation

- [Thoracic Spine X-Ray](#)
- [Neck X-Ray](#)

Treatment for Sufferers

- [Chiropractor](#)
- [Back Surgery](#)
- [Lumbar Surgery](#)
- [Spine Fusion](#)
- [Neck Surgery](#)
- [Scoliosis Surgery](#)
- [Back Strain Treatment](#)
- [Meningocele Repair/ Spina Bifida Repair](#)
- [Outlook for Sufferers](#)




Summary

- [Glossary](#)
- [FAQs](#)
- [Scoliosis Resources](#)
- [Additional Resources](#)

Related Resources

- [Arthritis & Pain Health Center](#)
- [Osteoporosis Health Center](#)
- [Depression Health Center](#)
- [Recent Clinical Trials](#)

Features & Tools

-  [Ask The Expert](#)
-  [Health Insurance Guide](#)
-  [Find A Doctor](#)


Drugs & Medications

- [Acetaminophen](#)
- [Cyclobenzaprine](#)
- [Ibuprofen](#)

Multimedia Gallery


- [Osteoporosis in Men](#)
- [Could it be Fibromyalgia?](#)
- [Why Do People Get Rheumatoid Arthritis?](#)
- [More](#)

Corpectomy




Incision

The patient is positioned on their back. If using the patient's own bone, an incision is made over the hip to harvest bone from the iliac crest. For the corpectomy, a small incision is made on either side of the neck. (A longer "up and down" incision may be required for multiple corpectomies).





Decompression

The cervical spine is widely exposed by separating the spaces between the normal tissues. The discs above and below the vertebrae involved are removed. The middle portion of the vertebrae is removed (some of which is saved for use in the fusion) using special cutting instruments and drills to decompress the underlying spinal cord and nerve roots.



Reconstruction

A strut of bone is placed to span the bony defect and provide support to the front of the spine. The bone is incorporated (fused) into the remaining vertebrae over time. Bone from the bone bank (allograft) may be substituted for the patient's own bone. A metal plate and screws are often used to provide extra support and facilitate the fusion process.



Closure

Absorbable sutures and sometimes skin staples are used to close the incisions. A cervical collar may or

Yahoo! Shopping

- [Books](#)
- [Videos](#)
- [Home Products](#)
- [More](#)

Yahoo! Community

- [Message Boards](#)
- [Chats](#)
- [Groups](#)

may not be required for use after surgery. The doctor will follow the fusion with periodic x-ray exams after the operation.

Technique Contributed By: Dr. B. Theo Mellion

Last Reviewed: 2003 by Medtronic Sofamor Danek

◀ Previous

[Anterior Cervical Fusion](#)

Next ▶

[Foraminotomy](#)

Copyright © 2003 Medtronic Sofamor Danek



Medtronic
SOFAMOR DANEK

Copyright © 2003 Yahoo! Inc. All Rights Reserved.

[Terms of Service](#) - [Copyright Policy](#) - [Privacy Policy](#) - [Ad Feedback](#)

This site does not provide medical or any other health care advice, diagnosis or treatment. The site and its services, including the information informational purposes only and are not a substitute for professional medical advice, examination, diagnosis or treatment. Always seek the advice of your physician or other qualified health professional before starting any new treatment or making any changes to existing treatment. Do not disregard medical advice based on information on this site. Medical information changes rapidly and while Yahoo! and its content providers regularly update the content on the site, some information may be out of date. No health information on Yahoo! , including information about herbal therapy or dietary supplements, is regulated or evaluated by the Food and Drug Administration and therefore the information should not be used to diagnose or prevent any disease without the supervision of a medical doctor.